

Lush side of life

A HOME, WHERE SERENITY TAKES OVER

Generating a harmonious environment is the epitome that makes one's life calm and peaceful.

Home is a place that enriches you.

Now warmly awaiting your discovery.



SITE PLAN



VALLEY WING

- 1 Grand Entrance
- 2 Smart Storage
- 3 Valley Boulevard
- 4 Water Terrace
- 5 Lantern Arrival

OTHERS

- BC Bin Centre
- SS Substation
- GH Guard House
- [] Water Tank Linkway

- 6 Green Terrace
- 7 Lantern Valley
- VALLEY CLUB
- 8 Valley Pavilion
- 9 Verandah

• Meditation Lawn

• Yoga Deck

• Games Station

- 13 Valley Deck
 - 14 Sun Lawn

12 Spa Beds

10 Infinity Pool

11 Bubbling Waters

16 FACILITIES AT TREETOP WALK

- Fitness Station • Tennis Court

 - Chess Garden

 - Star Gazing Garden
 - Spice & Herb Garden
- Gourmet Pavilion • Alfresco Pavilion

15 Serenity Walk

16 Verdant Garden

- Teppanyaki Pavilion
- Canopy
- Canopy Bar
- Cabana
- Cabana Bar
- Outpost

RAINFOREST WING

- 17 Water Bay
- 18 Hammock Bay
- 19 Jacuzzi
- 20 Foot Spa
- 21 Aqua Gym
- 25 River Walk 26 Cascading Water

22 Rainforest Deck

23 50m Leisure Pool

27 Splash Pool

24 Tree Isle

- RAINFOREST CLUB
- 28 Rainforest Pavilion
- 29 Gymnasium
- 30 Steam Rooms
- 31 Forest Bridge
- 1 5 BASEMENT LEVEL



32 Heritage Lawn

33 Hanging Garden

34 Heliconia Garden

40 METERS

TYPE A1a-p


50 sq m / 538 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

#01-64



1 - BEDROOM

TYPE A1a

50 sq m / 538 sq ft


INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

UNIT

#02-64 TO #05-64





LEGEND: F - FRIDGE GH - GAS HOB WC - WATER CLOSET A/C - AIR CONDITIONER WM - WASHER CUM DRYER ST - STORAGE IH - INDUCTION HOB DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE



1 - BEDROOM

TYPE A1b-P


51 sq m / 549 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

#01-65



1 - BEDROOM

TYPE A1b

51 sq m / 549 sq ft


INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11M

HINIT

#02-65 TO #05-65







TYPE A1c-P

48 sq m / 517 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING AND BEDROOM IS APPROXIMATELY 4.15 M


CEILING HEIGHT AT DINING IS APPROXIMATELY 3.20 M

TOWER 11H & 11L

UNIT


#01-45* #01-56

* MIRROR IMAGE



LEGEND: F - FRIDGE GH - GAS HOB WC - WATER CLOSET A/C - AIR CONDITIONER WM - WASHER CUM DRYER ST - STORAGE DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE

IH - INDUCTION HOB



1 - BEDROOM

TYPE A2-P

52 sq m / 560sq ft

INCLUSIVE OF 6 SQ M PES & 4 SQ M A/C LEDGE


CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11J & 11K

#01-46*

#01-51

* MIRROR IMAGE



1 - BEDROOM

TYPE A2

52 sq m / 560 sq ft


INCLUSIVE OF 6 SQ M BALCONY & 4 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11J & 11K

UNIT

#02-46 TO #05-46* #02-51 TO #05-51







TYPE Bla-P


56 sq m / 603 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

#01-63



2 - BEDROOM

TYPE B1a

56 sq m / 603 sq ft


INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

LEGEND:

#02-63 TO #05-63



THE CREEK @ BUKIT

F - FRIDGE GH - GAS HOB WC - WATER CLOSET A/C - AIR CONDITIONER WM - WASHER CUM DRYER ST - STORAGE IH - INDUCTION HOB DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE



2 - BEDROOM

TYPE B1b-P


67 sq m/ 721 sq ft

INCLUSIVE OF 11 SQ M PES & 4 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11A

#01-03



2 - BEDROOM

TYPE B1b

63 sq m / 678 sq ft

INCLUSIVE OF 6 SQ M BALCONY & 4 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11A

UNIT

#02-03 TO #05-03








TYPE B2a-P

62 sq m / 667 sq ft INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11D & 11G

#01-20 #01-32



2 - BEDROOM

TYPE B2a

62 sq m / 667 sq ft

INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11A, 11D & 11G

#03-01 TO #05-01* #02-20 TO #05-20

#02-32 TO #05-32

*MIRROR IMAGE







AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES, ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A 1839-00012-2017-BP01 DATED 14/06/2018

2 - BEDROOM

63 sq m / 678 sq ft

TYPE B2b-P1

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11L

UNIT

#01-57* #01-58

*MIRROR IMAGE

2 - BEDROOM TYPE B2b-P2

63 sq m / 678 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY $4.3~\mathrm{M}$

TOWER 11B

UNIT

#01-10*

*MIRROR IMAGE

2 - BEDROOM

TYPE B2b

63 sq m / 678 sq ft

INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING,

TOWER 11B & 11L

UNIT

#02-10 TO #05-10* #02-57 TO #05-57* #02-58 TO #05-58

*MIRROR IMAGE

LEGEND:


F - FRIDGE

WM - WASHER CUM DRYER

IH - INDUCTION HOB

GH - GAS HOB

ST - STORAGE



AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES, ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018

WC - WATER CLOSET

A/C - AIR CONDITIONER

TYPE B2c-P

67 sq m / 721 sq ft


INCLUSIVE OF 11 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11C

UNIT

#01-14



2 - BEDROOM

TYPE B2c

65 sq m / 700 sq ft


INCLUSIVE OF 9 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11C

UNIT

#02-14 TO #05-14



0 1 3 5M LEGEND: F -FRIDGE GH -GAS HOB WC -WATER CLOSET WM -WASHER CUM DRYER ST -STORAGE A/C -AIR CONDITIONER IH -INDUCTION HOB DB -DISTRIBUTION BOARD PES -PRIVATE ENCLOSED SPACE



2 - BEDROOM

TYPE B3-P

67 sq m / 721 sq ft


INCLUSIVE OF 8 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11H

UN

#01-41



2 - BEDROOM

TYPE B3

67 sq m / 721 sq ft


INCLUSIVE OF 8 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11H

UNII

#02-41 TO #05-41







TYPE B4a-P

66 sq m / 710 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11B, 11D, 11G, 11H & 11L

UNIT

#01-09*

#01-19*

#01-38* #01-42

#01-42 #01-59

*MIRROR IMAGE

2 - BEDROOM

TYPE B4a

66 sa m / 710 sa ft

INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING,

TOWER 11A, 11B, 11D, 11G, 11H & 11L

UNIT

#03-07 TO #05-07


#02-09 TO #05-09*

#02-19 TO #05-19* #02-38 TO #05-38*


#02-42 TO #05-42

#02-59 TO #05-59

*MIRROR IMAGE







2 - BEDROOM

TYPE B4b-P

66 sq m / 710 sq ft

INCLUSIVE OF 6 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11B & 11H

UNIT

#01-08 #01-40

#01-40 #01-43*

*MIRROR IMAGE



2 - BEDROOM

TYPE B4b

66 sa m / 710 sa ft

INCLUSIVE OF 6 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11B & 11H


UN**I**T

#02-08 TO #05-08 #02-40 TO #05-40

#02-40 TO #05-43*







TYPE B4c-P


69 sq m / 743 sq ft
INCLUSIVE OF 9 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11F

UNIT

#01**-**28



2 - BEDROOM

TYPE B4c

69 sq m / 743 sq ft


INCLUSIVE OF 9 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11F

UNIT

#02-28 TO #05-28



0 1 3 5M LEGEND: F -FRIDGE GH -GAS HOB WC -WATER CLOSET WM -WASHER CUM DRYER ST -STORAGE A/C -AIR CONDITIONER IH -INDUCTION HOB DB -DISTRIBUTION BOARD PES -PRIVATE ENCLOSED SPACE



2 - BEDROOM

TYPE B4d-P

70 sq m / 753 sq ft

INCLUSIVE OF 11 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11C, 11E & 11G

UNIT

#01-15 #01-24

#01-35*

*MIRROR IMAGE



2 - BEDROOM

TYPE B4d

69 sa m / 743 sa ft

INCLUSIVE OF 9 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11C, 11E & 11G


UNIT

#02-15 TO #05-15 #02-24 TO #05-24

#02-35 TO #05-35*







TYPE B4e-P1


71 sq m / 764 sq ft INCLUSIVE OF 11 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11M

UNIT

#01-67



2 - BEDROOM TYPE B4e-P2

72 sq m / 775 sq ft INCLUSIVE OF 12 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11B & 11M

UN**I**T

#01-11 #01-62*

*MIRROR IMAGE

2 - BEDROOM

TYPE B4e

69 sq m / 743 sq ft
INCLUSIVE OF 9 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11B & 11M

INIT

#02-11 TO #05-11 #02-62 TO #05-62* #02-67 TO #05-67

*MIRROR IMAGE









 F
 - FRIDGE
 GH
 - GAS HOB
 WC
 - WATER CLOSET

 WM
 - WASHER CUM DRYER
 ST
 - STORAGE
 A/C
 - AIR CONDITIONER

 IH
 - INDUCTION HOB
 DB
 - DISTRIBUTION BOARD
 PES
 - PRIVATE ENCLOSED SPACE

2 - BEDROOM

TYPE B4f-P

69 sq m / 743 sq ft


INCLUSIVE OF 9 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11F

UNII

#01-30



2 - BEDROOM

TYPE B4f

71 sq m / 764 sq ft

INCLUSIVE OF 11 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11F

UN**I**T

#02-30 TO #05-30







TYPE B5a-P

73 sq m / 786 sq ft

INCLUSIVE OF 9 SQ M PES & 3 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11A, 11D & 11F

#01-04*

#01-05

#01-18* #01-27

*MIRROR IMAGE

2 - BEDROOM

TYPE B5a

72 sa m / 775 sa ft

INCLUSIVE OF 8 SQ M BALCONY & 3 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11A, 11F, 11H & 11L

#02-04 TO #05-04* #02-05 TO #05-05 #02-27 TO #05-27

#02-45 TO #05-45*

#02-56 TO #05-56

*MIRROR IMAGE





LEGEND: F - FRIDGE GH - GAS HOB WC - WATER CLOSET

A/C - AIR CONDITIONER WM - WASHER CUM DRYER ST - STORAGE IH - INDUCTION HOB DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE



2 - BEDROOM

TYPE B5b


73 sq m / 786 sq ft


INCLUSIVE OF 9 SQ M BALCONY & 3 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11D

#02-18 TO #05-18







TYPE B5c-P

69 sq m / 743 sq ft

INCLUSIVE OF 5 SQ M PES & 3 SQ M A/C LEDGE,


CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11C

UNI

#01-12* #01-13

*MIRROR IMAGE



2 - BEDROOM

TYPE B5c

69 sq m / 743 sq ft

INCLUSIVE OF 5 SQ M BALCONY & 3 SQ M AC LEDGE,


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11C


UN**I**T

#02-12 TO #05-12* #02-13 TO #05-13

*MIRROR IMAGE



0 1 3 5M LEGEND: F - FRIDGE GH - GAS HOB WC - WATER CLOSET WM - WASHER CUM DRYER ST - STORAGE A/C - AIR CONDITIONER IH - INDUCTION HOB DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE



2 - BEDROOM

TYPE B6-P

72 sq m / 775 sq ft

INCLUSIVE OF 6 SQ M PES & 4 SQ M A/C LEDGE


CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11C & 11G

UNIT

#01-17 #01-33*

*MIRROR IMAGE



2 - BEDROOM

TYPE B6

72 sq m / 775 sq ft

INCLUSIVE OF 6 SQ M BALCONY & 4 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11A, 11C & 11G


UNIT

#03-02 TO #05-02 #02-17 TO #05-17

#02-33 TO #05-33*

*MIRROR IMAGE





HIGH OAK CONDOMINIUM

TOWER

T

TYPE C1a-P1

93 sq m / 1001 sq ft INCLUSIVE OF 6 SQ M PES & 7 SQ M A/C LEDGE CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11L

UNIT

#01-60



3 - BEDROOM TYPE C1a-P2

99 sq m / 1066 sq ft

INCLUSIVE OF 11 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11C

UNIT

#01-16




TYPE C1a 93 sq m / 1001 sq ft

INCLUSIVE OF 6 SQ M BALCONY & 7 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING,


TOWER 11C & 11L

#02-16 TO #05-16 #02-60 TO #05-60



Canopy of PES





WM - WASHER CUM DRYER ST - STORAGE IH - INDUCTION HOB DB - DISTRIBUTION BOARD PES - PRIVATE ENCLOSED SPACE

WC - WATER CLOSET A/C - AIR CONDITIONER



3 - BEDROOM TYPE C1b-P

103 sq m / 1109 sq ft

INCLUSIVE OF 16 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11J & 11K


UNIT

#01-47*

#01-48

#01-52 #01-53*

*MIRROR IMAGE



3 - BEDROOM

TYPE C1b

98 sa m / 1055 sa ft

INCLUSIVE OF 11 SQ M BALCONY & 7 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11J & 11K


UNIT


#02-47 TO #05-47* #02-48 TO #05-48 #02-52 TO #05-52

#02-53 TO #05-53*

*MIRROR IMAGE







AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES. ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018

AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION.
ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES. ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY.
BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018

TYPE C1c-P

104 sq m / 1119 sq ft
INCLUSIVE OF 16 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11J, 11K & 11M


UNIT

#01-50*

#01-55

#01-66*

*MIRROR IMAGE



3 - BEDROOM

TYPE C1c

98 sq m / 1055 sq ft

INCLUSIVE OF 10 SQ M BALCONY & 7 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11J, 11K & 11M


UNIT

#02-50 TO #05-50* #02-55 TO #05-55

#02-66 TO #05-66*

*MIRROR IMAGE







3 - BEDROOM

TYPE C1d-P

104 sq m / 1119 sq ft

INCLUSIVE OF 16 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11E, 11F, 11G, 11H & 11L

UNIT


#01-23

#01-31

#01-34

#01-39* #01-61

*MIRROR IMAGE



3 - BEDROOM

TYPE C1d

98 sq m / 1055 sq ft

INCLUSIVE OF 11 SQ M BALCONY & 7 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11E, 11F, 11G, 11H & 11L

UNIT

#02-23 TO #05-23

#02-25 TO #05-25* #02-31 TO #05-31

#02-34 TO #05-34 #02-39 TO #05-39*

#02-61 TO #05-61 *MIRROR IMAGE BEDROOM
BEDROOM
BEDROOM
BEDROOM
LIVING


MASTER
BEDROOM


ACC
LEDGE

KITCHEN

KITCHEN

Canopy of PES Unit below





TYPE C2-P


98 sq m / 1055 sq ft

INCLUSIVE OF 11 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11H

#01-44



3 - BEDROOM

TYPE C2


93 sa m / 1001 sa ft

INCLUSIVE OF 6 SQ M BALCONY & 7 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11H

#02-44 TO #05-44



THE CREEK @ BUKE



AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES. ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018

3 - BEDROOM

TYPE C3a-P 103 sq m / 1109 sq ft


INCLUSIVE OF 11 SQ M PES & 7 SQ M A/C LEDGE


CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11A & 11D

#01-06*

#01-21







TYPE C3b-P


106 sq m / 1141 sq ft INCLUSIVE OF 16 SQ M PES & 7 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11F

UNIT

#01-29



3 - BEDROOM

TYPE C3b

100 sq m / 1076 sq ft

INCLUSIVE OF 11 SQ M BALCONY & 7 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M

TOWER 11F

UNIT

#02-29 TO #05-29







3 - BEDROOM

TYPE C4-P

107 sq m / 1152 sq ft

INCLUSIVE OF 15 SQ M PES & 6 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11J & 11K


UNIT

#01-49*

#01-54







TYPE C4

104 sq m / 1119 sq ft

INCLUSIVE OF 12 SQ M BALCONY & 6 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, BEDROOM AND STUDY IS APPROXIMATELY 4.3 M


TOWER 11J & 11K

#02-49 TO #05-49* #02-54 TO #05-54

*MIRROR IMAGE







3 - BEDROOM

TYPE C5-P

116 sq m / 1249 sq ft

INCLUSIVE OF 20 SQ M PES & 6 SQ M A/C LEDGE


CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M


TOWER 11G

#01-36*

#01-37







TYPE C5

112 sq m / 1206 sq ft

INCLUSIVE OF 15 SQ M BALCONY & 6 SQ M A/C LEDGE

5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M

TOWER 11G

UNIT

#02-36 TO #05-36* #02-37 TO #05-37

*MIRROR IMAGE





AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES. ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018


4 - BEDROOM

TYPE D1-P

148 sq m / 1593 sq ft

INCLUS**I**VE OF 25 SQ M PES & 6 SQ M A/C LEDGE

CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M



Canopy of PES Unit below

4 - BEDROOM


TYPE D1

138 sq m / 1485 sq ft

INCLUSIVE OF 14 SQ M BALCONY & 6 SQ M A/C LEDGE


5TH STOREY ONLY: CEILING HEIGHT AT LIVING / DINING, AND BEDROOM IS APPROXIMATELY 4.3 M







AREA INCLUDES A/C LEDGE, BALCONY, PES AND VOID AREA WHERE APPLICABLE. SOME UNITS ARE MIRROR IMAGES OF THE APARTMENT PLANS SHOWN IN THE BROCHURE. PLEASE REFER TO KEY PLANS FOR ORIENTATION. ALL PLANS ARE SUBJECT TO CHANGE AS MAY BE APPROVED BY THE RELEVANT AUTHORITIES. ALL FLOOR AREAS ARE APPROXIMATE MEASUREMENTS ONLY AND ARE SUBJECT TO FINAL SURVEY. BP APPROVAL NO. A1839-00012-2017-BP01 DATED 14/06/2018

APPROVED ALUMINIUM PERFORATED SLIDING SCREEN FOR BALCONY



SLIDING BALCONY SCREEN - SECTION





SLIDING BALCONY SCREEN - SECTION

SLIDING BALCONY SCREEN - ELEVATION

NOTE:

1. THE BALCONY SHALL NOT BE ENCLOSED UNLESS WITH APPROVED BALCONY SCREEN.

Specifications of the Building

(Subject to the amendments set out in the Second Schedule of the Sale and Purchase Agreement)

Pre-cast piles and/or reinforced concrete piles and/or footings and/or non-suspended slabs on grade

2.

Pre-cast and/or cast-in-situ reinforced concrete and/or prefabricated and prefinished volumetric construction (PPVC) reinforced concrete and/or steel structures

3.

- a. External Walls: Reinforced concrete wall and/or lightweight precision blockwall and/or precast panels
- b. Internal Walls: Reinforced concrete wall and/or lightweight precision blockwall and/or drywall partition and/or precast panels and/or aggregate wall and/or lightweight concrete panel/drywall

Flat roof: Reinforced concrete roof with waterproofing and with or without insulation

5. CEILING

- a. Apartment Unit Ceiling Height: Refer to Floor to Ceiling Height Schedule for details
- General notes: Ceiling Height floor finish level to underside of slab/ceiling where applicable (in m)
 - Bulkheads at 2.4m and / or 2.8m where applicable.
- b. Apartment Unit Ceiling Finishes: Skim coat with emulsion paint and/or plaster board with emulsion paint and/or moisture resistant board with emulsion paint and /or box-ups with emulsion paint at designated areas (where applicable)
- c. Apartment Unit Ceiling Finishes at PES (1st storey unit) and balcony (5th storey unit): Metal canopy and/or skim coat with emulsion paint and/or plaster board with emulsion paint and/or moisture resistant board with emulsion paint and/or box-ups with emulsion paint at designated areas (where applicable)

FINISHES

- a. Wall (Apartment Units)
- i. Private Lift Lobby, Living, Dining, Bedrooms, Study, Yard, Store, Household Shelter: Emulsion paint finish
- ii. Bathrooms, WC: Tiles finish
- iii. Kitchen, Dry Kitchen: Emulsion paint finish and/or tiles finish
- iv. Private Enclosed Space (PES), Balcony, A/C Ledge: Exterior paint finish
- b. Wall (Common Area Internal)
- i. All Lift Lobbies: Stone and/or tiles and/or laminate finish on appropriate backing material and/or emulsion paint finish ii. Common Corridors, Staircases, and Staircase Storey Shelters: Tiles and/or emulsion paint finish
- iii. Changing Rooms and Handicap / Family Toilet: Tiles and/or emulsion paint finish
- c. Wall (Common Areas External)
- i. All External Walls: Exterior paint finish with spray texture coating and/or non-spray texture coating on exposed surface only.
- All wall finishes are provided up to false ceiling level and on exposed areas only
- No tiles behind all cabinets, kitchen cabinets, vanity / mirror cabinets, mirror or above false ceiling
- Wall surface above false ceiling level will be left in its original bare condition

d. Floor (Apartment Units)

- i. Bedrooms, Study (where applicable): Engineered timber flooring
- ii. Private Lift Lobby, Living, Dining, Kitchen, Dry Kitchen: Marble tiles or Compressed Marble tiles
- iii. Bathrooms, Yard, WC, Store, Private Enclosed Space (PES), Balcony, Household Shelter (HS): Tiles
- iv. A/C Ledge: Cement sand screed finish
- e. Floor (Common Areas)
- i. All Lift Lobbies: Stone and/or tiles
- ii. Common Corridors, Staircases, and Staircase Storey Shelters: Stone and/or tiles and/or cement sand screed with nosing tiles
- All floor finishes are to exposed surface area only

Aluminium-framed windows tinted glass and/or clear glass and/or laminated glass and/or frosted glass and/or tempered glass Minimum thickness of glass: 6mm

8. **DOORS**

- a. Unit Main Entrance to Common Lobby: Approved fire-rated timber swing door
- b. Private Lift Lobby, where applicable: Aluminium-frame with glass infill swing door and/or aluminium swing door
- c. Living, Dining, Master Bedroom to Private Enclosed Space (PES) / Balcony: Aluminium-framed sliding glass door
- d. Bedrooms, Bathrooms: Hollow core timber swing door and/or sliding door
- e. Enclosed Study (A2, A2-P, C1a, C1a-P1, C1a-P2, C1b, C1b-P, C1c, C1c-P, C1d, C1d-P, C3a, C3a-P, C3b & C3b-P) where applicable: Hollow core timber swing door
- f. Kitchen, where applicable: Timber-framed with glass infill sliding/swing door and/or frameless glass sliding door and/or hollow core timber sliding/swing door
- g. Kitchen to Yard, where applicable: Hollow core timber sliding/swing door
- h. WC, where applicable: Aluminium-framed slide and fold door
- i. Store, where applicable: Aluminium-framed slide and fold door
- j. Private Enclosed Space (PES), where applicable: Aluminium-framed swing glass and/or mild steel low gate
- k. Household Shelter: Approved fire-rated blast door

Good quality locksets and ironmongery to be provided to all doors. All glass doors to be of tinted and/or clear glass (where applicable). Minimum thickness of glass: 6mm

SANITARY FITTINGS

- a. Master Bath, Junior Master Bath
- 1 shower cubicle and 1 shower mixer set complete with overhead shower
- 1 vanity cabinet complete with 2 basins and mixers (Type D1 and Type D1-P only)
- 1 vanity cabinet complete with 1 basin and mixer
- 1 wall-mounted water closet
- 1 toilet paper holder
- 1 towel rail or 2 robe hooks
- 1 mirror cabinet
- 1 built-in bath tub complete with shower mixer, spout and hand shower (Type D1 and D1-P only)

b. Common Bath

- 1 shower cubicle and 1 shower mixer set
- 1 vanity cabinet complete with basin and mixer
- 1 wall-mounted water closet
- 1 toilet paper holder 1 towel rail or 2 robe hooks
- 1 mirror cabine

c) WC

- 1 basin with cold water tap
- 1 handheld shower set
- 1 pedestal water closet
- 1 toilet paper holder

d) Other

- 1 bib tap for washer cum dryer at designed area
- 1 bib tap for each balcony and PES

ELECTRICAL INSTALLATION

- a. All electrical wiring below false ceiling within apartments shall generally be concealed where possible. Electrical wiring above false ceiling and within closet shall be in exposed conduits or trunking
- b. Refer to Electrical Schedule

TV/CABLE SERVICES/FM/TELEPHONE POINTS

Refer to Electrical schedule

LIGHTNING PROTECTION

Lightning Protection System is in accordance with Singapore Standard SS555:2010

13. PAINTING

12.

- a. Internal Walls: Emulsion paint
- b. External Walls: Exterior paint finish with spray texture coating and/or non-spray texture coating on exposed surface only

Waterproofing shall be provided to floor slabs of Bathrooms, Kitchens, Yard, WC, PES and Balcony, Pool Deck, Swimming Pool, Water Feature, Landscape Deck and Reinforced Concrete Flat Roof, where applicable

DRIVEWAY AND CAR PARK

a. Surface Driveway/ Ramp: Selected tiles and/or stone to designated areas and/or interlocking pavers and/or reinforced concrete slab with floor hardener and/or tarmac b. Basement Car Park / Driveway / Ramp: Reinforced concrete slab with floor hardener

RECREATION FACILITIES

1st Storey (Landscape Deck)

13	(Lanuscape Deck)				
1	Grand Entrance	13	Bubbling Waters	25	Cascading Water
2	Water Terrace	14	Serenity Walk	26	Rainforest Pavilion
3	Valley Boulevard	15	Verdant Garden	27	Gymnasium
í	Lantern Arrival	16	Hammock Bay	28	Steam Rooms
5	Green Terrace	17	Water Bay	29	Forest Bridge
5	Lantern Valley	18	Rainforest Deck	30	Splash Pool
7	Valley Pavilion	19	50m Leisure Pool	31	Heritage Lawn
3	Verandah	20	Tree Isle	32	Heliconia Garden
)	Infinity Pool	21	Foot Spa	33	Hanging Garden
10	Sun Lawn	22	Jacuzzi	34	Rainforest Pavilion
1 1	Valley Deck	23	Agua Cym		

24 River Walk

Roof Level (TreeTop Walk)

- 35 Fitness Station 43 Chess Garden
- 36 Meditation Lawn 44 Spice & Herb Garden
- 37 Yoga Deck 45 Canopy
- 38 Games Station 46 Canopy Bar
- 39 Alfresco Pavilion 47 Cabana 40 Teppanyaki Pavilion 48 Cabana Bar 41 Gourmet Pavilion 49 Outpost
- 42 Star Gazing Garden

ADDITIONAL ITEMS

12 Spa Beds

a. Kitchen Cabinets

- High and/or low level kitchen cabinets / shelves complete with compressed quartz counter top
- 1 stainless steel sink with mixer is provided for Kitchen (where applicable)

50 Tennis Court

b. Kitchen Appliances

- i) For Type A (1-Bedroom) built-in microwave oven, integrated fridge, washer cum dryer, induction hob and cooker hood
- ii) For Type B (2-Bedroom) built-in oven, integrated fridge, washer cum dryer, induction hob and cooker hood
- iii) For Type C (3-Bedroom) and Type D (4-Bedroom) built-in oven, free standing fridge, washer cum dryer, gas hob and cooker hood

c. Wardrobes

Built-in Wardrobes with laminate and/or melamine finish for all bedrooms

d. Air-conditioning

Wall-mounted split-unit air-conditioning system to Living/Dining, Bedrooms, and Study, where applicable

e. Mechanical Ventilation System

Mechanical ventilation system is provided to internal bathroom, where applicable

f. Audio Video Telephony System

Audio Video Telephony System, which is to be connected to Purchaser's personal devices such as handsets / tablets, is provided for communication with Guard House and Visitor Call Panels

g. Hot Water

Electric storage water heater: Hot water supply to Bathrooms and Kitchen

h. Security System

Security Card Access Control System will be provided at Basement and 1st Storey Lift Lobbies and Private Lift Lobbies (for Type D1 and D1-P)

i. Smart Home System

1x Smart Home Gateway with built-in IP camera, 1 x digital lockset, and 1 x Smart Door Bell will be provided for all apartment units

j. Town Gas

Provision of Town Gas to kitchen gas hob to Type 3-bedroom and 4-bedroom

k. Gondola System

Gondola supports / brackets / platforms / tracks will either be floor, wall or soffit mounted (top / side / below) on RC flat roof / external wall / RC ledge / trellis / canopy of tower blocks, where applicable

1. Wireless Internet

Wireless internet connection provision at designated communal area, subject to subscription of service by the Management Corporation (when formed) with the relevant internet service provider

m. IT Feature

All apartments equipped with wiring and fibre ready for internet connection, subject to subscription of service by the purchaser with the relevant internet service provider

CEILING HEIGHTS SCHEDULE FOR UNIT (MM)

Type / Location	Living	Dining	Bedroom	Bathroom	Corridor	Kitchen	Dry Kitchen	Study	PES	Balcony	Yard	Store	wc	Household Shelter	Private Lift Lobby
A1a-P & A1b-P (1st Storey)	4300	4300	4300	2800	N/A	2800	N/A	N/A	3240	N/A	N/A	N/A	N/A	N/A	N/A
A1a & A1b (2nd to 4th Storey)	2900	2900	2900	2400	N/A	2800	N/A	N/A	N/A	2900	N/A	N/A	N/A	N/A	N/A
A1a & A1b (5th Storey)	4300	4300	4300	2800	N/A	2800	N/A	N/A	N/A	3240	N/A	N/A	N/A	N/A	N/A
A1c-P (1st Storey)	4150	3200	4150	2800	N/A	2800	N/A	N/A	3240	N/A	N/A	N/A	N/A	N/A	N/A
A2-P (1st Storey)	4300	4300	4300	2800	N/A	2800	N/A	4300	3240	N/A	N/A	N/A	N/A	N/A	N/A
A2 (2nd to 4th Storey)	2900	2900	2900	2400	N/A	2800	N/A	2900	N/A	2900	N/A	N/A	N/A	N/A	N/A
A2 (5th Storey)	4300	4300	4300	2800	N/A	2800	N/A	4300	N/A	3240	N/A	N/A	N/A	N/A	N/A
B1a-P, B1b-P, B2a-P, B2b-P1, B2b-P2, B2c-P, B3-P, B4a-P, B4b-P, B4c-P, B4d-P, B4e-P1, B4e-P2, B4f-P, B5a-P, B5c-P, B6-P (1st Storey)	4300	4300	4300	2800	2800	2800	N/A	4300 (B5a-P, B5c-P, B6-P only)	3240	N/A	N/A	N/A	N/A	N/A	N/A
B1a, B1b, B2a, B2b, B2c, B3, B4a, B4b, B4c, B4d, B4e, B4f, B5a, B5b, B5c, B6 (2nd – 4th Storey)	2900	2900	2900	2400	2400	2800	N/A	2900 (B5a, B5b, B5c, B6 only)	N/A	2900	N/A	N/A	N/A	N/A	N/A
B1a, B1b, B2a, B2b, B2c, B3, B4a, B4b, B4c, B4d, B4e, B4f, B5a, B5b, B5c, B6 (5th Storey)	4300	4300	4300	2800	2800	2800	N/A	4300 (B5a, B5b, B5c, B6 only)	N/A	3240	N/A	N/A	N/A	N/A	N/A
C1a-P1, C1a-P2, C1b-P, C1c-P, C1d-P, C3a-P, C3b-P, C4-P (1st Storey)	4300	4300	4300	2800	2800	2800	N/A	4300	3240	N/A	2800 (C4- P only)	N/A	2800 (C4- P only)	N/A	N/A
C1a, C1b, C1c, C1d, C3a, C3b, C4 (2nd – 4th Storey)	2900	2900	2900	2400	2400	2800	N/A	2900	N/A	2900	2400 (C4 only)	N/A	2400 (C4 only)	N/A	N/A
C1a, C1b, C1c, C1d, C3a, C3b, C4 (5th Storey)	4300	4300	4300	2800	2800	2800	N/A	4300	N/A	3240	2800 (C4 only)	N/A	2800 (C4 only)	N/A	N/A
C2-P, C5-P (1st Storey)	4300	4300	4300	2800	2800	2800	N/A	N/A	3240	N/A	2800 (C5- P only)	N/A	2800 (C5- P only)	2800	N/A
C2, C5 (2nd – 4th Storey)	2900	2900	2900	2400	2400	2800	N/A	N/A	N/A	2900	2400 (C5 only)	N/A	2400 (C5 only)	2800	N/A
C2, C5 (5th Storey)	4300	4300	4300	2800	2800	2800	N/A	N/A	N/A	3240	2800 (C5 only)	N/A	2800 (C5 only)	2800	N/A
D1-P (1st Storey)	4300	4300	4300	2800	2800	2800	2800	N/A	3240	N/A	N/A	4300	2800	N/A	2800
D1 (2nd – 4th Storey)	2900	2900	2900	2400	2400	2800	2400	N/A	N/A	2900	N/A	2900	2400	N/A	2400
D1 (5th Storey)	4300	4300	4300	2800	2800	2800	2800	N/A	N/A	3240	N/A	4300	2800	N/A	2800

⁻ Ceiling height in mm from finish floor level to underside of slab / ceiling where applicable.

ELECTRICAL SCHEDULE

	A1a / A1a-P / A1b / A1b-P / A1c-P	A2 / A2-P	B1a / B1a-P	B1b / B1b-P	B2a / B2a-P / B2b / B2b-P1/ B2b-P2	B2c / B2c-P / B3 / B3-P	B4a / B4a-P / B4b / B4b-P	B4c / B4c-P / B4d-P / B4e / B4e-P1	B4e-P2	B4f / B4f-P	B5a / B5a-P / B5b	B5c / B5c-P / B6 / B6-P		C1a-P2 / C3a-P	C1b / C1c / C1d / C3b	C1b-P / C1c-P / C1d-P / C3b-P	C2	C2P	C4	C4P	C5	C5P	D1 / D1P
Lighting Point	8	9	9	10	10	11	11	12	13	12	13	12	15	17	16	17	15	8	19	20	20	21	24
13A Weather Proof / Splashproof Power Point	1	1	1	1	1	1	1	2	1	2	2	1	1	1	2	2	1	1	2	8	8	3	2
13A Twin Power Point	7	8	8	8	8	8	8	8	8	8	9	9	11	11	11	11	11	11	10	10	10	10	14
Data / Telephone Point	6	7	9	9	9	9	9	9	9	9	10	10	12	12	12	12	12	12	12	12	12	12	13
TV Point	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	5	5	4	4	5	5	5
Water Heater Point	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3
Washer Cum Dryer Point	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cooker Hob Point	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cooker Hood Point	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Built-in Oven Point	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fridge Point	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Microwave Oven Point	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13A Single Power Point	4	4	6	6	6	6	7	7	7	7	7	7	10	10	10	10	10	10	10	10	10	10	10

1. Isolators shall be provided according to the no. of condensing units for each apartment.

- Isolator/ connection unit shall be provided according to the no. of heaters for each apartment.
 Twin power points will be counted as 2 numbers of 13A power points.
 Power Rating of Connection Unit with Neon Light Switch are subject to equipment rating, selection and configuration.

⁻ Localised bulkhead at 2400mm, where applicable.

NOTES TO SPECIFICATIONS

a) Marble/Compressed Marble/Limestone/Granite

Marble/compressed marble/limestone/granite are natural stone materials containing veins with tonality differences. There will be colour and markings caused by their complex mineral composition and incorporated impurities. While such materials can be preselected before installation, this nonconformity in the marble/compressed marble/limestone/granite as well as nonuniformity between pieces cannot be totally avoided. Granite tiles are prepolished before laying and care has been taken for their installation. However, granite, being a much harder material than marble, cannot be repolished after installation. Hence, some differences may be felt at the joints. Subject to clause 14.3 of the Sales & Purchase Agreement, the tonality and pattern of the marble, limestone or granite selected and installed shall be subject to availability.

b) Timber Strips

Timber strips are natural materials containing veins and tonal differences. Thus, it is not possible to achieve total consistency of colour and grain in their selection and installation. Timber strips are also subject to thermal expansion and contraction beyond the control of the builder and the Vendor. Natural timber that is used outdoors will become bleached due to sunlight and rain. Thus, the cycle of maintenance on staining will need to be increased as required. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations

c) Air-Conditioning System

To ensure good working condition of the airconditioning system, the system has to be maintained and cleaned on a regular basis by the Purchaser. This includes the cleaning of coil and filters, clearing of condensate pipes and charging of refrigerant gas. The Purchaser is advised to engage his own contractor to service the airconditioning system regularly.

d) Television and/or Internet Access

The Purchaser is liable to pay annual fee, subscription fee and such other fees to the television and/or internet service providers or any other relevant party or any relevant authorities. The Vendor is not responsible to make arrangements with any of the said parties for the service connection for their respective channels and/or internet access.

e) Materials, Fittings, Equipment, Finishes, Installations and Appliances

Subject to clause 14.3 of the Sales & Purchase Agreement, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to the Architect's selection and market availability.

Where warranties are given by the manufacturers and/or contractors and/or suppliers of any of the equipment and/or appliances installed by the Vendor at the Unit, the Vendor will assign to the Purchaser such warranties at the time when vacant possession of the Unit is delivered to the Purchaser. Notwithstanding this assignment, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and clause 17 of the Sales & Purchase Agreement.

g) Web Portal of the Housing Project

The Purchaser will have to pay annual fee, subscription fee or any such fee to the service provider of the Web Portal of the Housing Project as may be appointed by the Vendor or the Management Corporation when it is formed.

h) False Ceiling

The false ceiling space provision allows for the optimal function and installation of M&E services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to the Architect's sole discretion and final design.

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and clause 17 of the Sales & Purchase Agreement.

i) Engineered Timber Flooring

Engineered timber flooring is a natural material with variation in appearance, colour and grain patterns within one species. Thus, it is not possible to achieve consistency of colour and grain opposed to a photographic layer in the selection and installation. The engineered timber board can display some, frequent knots which shall form part of the characteristic of the timber.

k) Mechanical Ventilation System

Mechanical ventilation fans and ductings are provided to toilets which are not naturally ventilated. To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.

All wall finishes shall be terminated at false ceiling level. There will be no tiles/stone works behind kitchen cabinets/vanity cabinet/mirror.

m) Cable Services

The Vendor shall endeavour to procure a service provider for cable television and/or internet services (the "Cable Services") to provide the necessary cabling or connection from its network to the Unit/Building and/or the Housing Project (or any part or parts thereof), so as to enable the Unit/Building and/or the Housing Project to receive the Cable Services. In the event, despite reasonable efforts being made by the Vendor, the Vendor is unable to procure any service provider to provide the said cabling or connection, thereby resulting in there being no Cable Services available in the Unit/Building and/or the Housing Project, the Vendor shall not be liable to the Purchaser for any compensation or for any damages, costs, fees, expenses or losses whatsoever, or howsoever incurred, by virtue of the Purchaser being unable to obtain the Cable Services in the Unit/Building and/or the Housing Project.

n) Layout/Location of Fan Coil Units, Electrical Points, Television Points, Telecommunication Points, Door Swing Positions and Plaster Ceiling Boards

Layout/Location of fan coil units, electrical points, television points, telecommunication points, door swing positions and plaster ceiling boards are subject to the Architect's final decision and design.

o) Prefabricated Bathroom Units

Certain bathroom and W.C. may be prefabricated construction and all penetrations are sealed at manufacturer's factory prior to installation on site. Any subsequent penetrations are not recommended as they will compromise the waterproofing warranty. Any hacking, repairing and drilling within bathroom must be in accordance to the manufacturer's manual book.

p) Mobile Phone Reception

Telephone reception on mobile phones within the Housing Project is subject to availability/provision of satellite/wireless coverage by the respective mobile telephone network service providers and is not within the purview/control of the Vendor.

Selected tile sizes and tile surface flatness cannot be perfect and are subject to acceptable range described in Singapore Standards SS483:2000.

r) Prefabricated Pre-finished Volumetric Construction (PPVC)

Certain unit and/or area may be of prefabricated structurally reinforced concrete volumetric module with complete and/or pre-finished and/or pre-installed concealed electrical services and/ or plumbing services and/or air-conditioning and mechanical ventilation ("ACMV") services and/or sanitary services construction. All walls, penetration openings, electrical services, plumbing services, ACMV services and sanitary services are predesigned and/or concealed and/or pre-route prior to installation on site. No hacking of any of the structural walls of the Unit is allowed.

Developer: Setia (Bukit Timah) Pte. Ltd. (UEN: 201711451R). Developer's License No.: C1263. Land Tenure: Leasehold Estate of 99 years commencing from 17 July 2017. Encumbrances: Caveat IE/893104R and Mortgage IE/872306D (in escrow) in favour of Oversea-Chinese Banking Corporation Limited. Expected Date of Delivery of Vacant Possession: 16 July 2022. Expected Date of Legal Completion: 16 July 2025. Location: Lot 9149L MK 05 at Toh Tuck Road. All information, plans and specifications are believed to be accurate at the time of publication and may be subject to changes as may be required or approved by the developer or the relevant authorities. The Sales and Purchase Agreement shall form the entire agreement between the developer and the purchaser and shall no way be modified by any st or representations (whether contained in this brochure or otherwise).

Setia