S E R A Y A Desidences



Nestled within the Haig Road, Tanjong Katong, Joo Chiat and East Coast enclaves, Seraya Residences brings together the best of worlds. Here, modern conveniences meet heritage charm. Easy, laid-back cafes and coffeeshops are found alongside cool places to have a special meal in. Whatever you fancy can all be found in this neighbourhood.

Most of all, Seraya Residences is also a freehold home. This is truly a home that you will be proud to call your own, right in the heart of popular District 15.



A brisk stroll from Seraya Residences brings you to Joo Chiat, Tanjong Katong and East Coast Road. There, you'll find beautiful and character-filled Peranakan shophouses. The vibe here is distinctively unique, perfect for whiling away a leisurely Saturday afternoon.



Besides local comforts, you'll also find a host of other dining and entertainment options all around. World cuisine, fresh seafood, craft beer, wine shops, artisanal ice-cream. There is something nearby for every occasion and indulgence.

AMENITIES

TDANICDODT				2 Royal Maga You
TRANSPORT		- N 4:	4.51	The state of the s
1 Dakota MRT	←	3 Mins 4 Mins		Taging RD 22
2 Paya Lebar MRT		4 1/11/15	I.9 KIII	Presidio Presidio O Pr
				The Haigs-ville Cest 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
COLOOLS				Haig Ten Tropics Haig Walle Extension Extension Green Space Hostel Joo Chiat Green Space Large Management Company Comp
SCHOOLS 3 EIS International Pre-School	ń.	1 Mins	100 m	View Ceylon Rd Npp Rd Ctr
	٨			Dunman Rd Dunman Rd Dunman Rd Dunman Rd Dunman Rd Dunman Rd
4 Tanjong Katong Primary School (U/C)	κ	4 Mins 5 Mins	400 m	Seventh-day Adventist Ceylon Ch Residence Bethesda Ct Katong
5 St Hilda's Kindergarten	Λ nk	5 Mins		How Ine Ceylon Ct Ct feeter Rd Ch
6 Tanjong Katong Secondary School	Λ nk			Tg Katong D' See Sch Focus Haig Apts Eleven Pt
7 Chatsworth International School (East Campus)	K nk	7 Mins		Haig Lodge Spring
8 Tanjong Katong Girl's School (U/C)	^	9 Mins		Gdns Hail Ave Esterina Suites St Hilds's Hurthall Larde Source St Hilds's Hurthall Larde
9 Canadian International School (Tanjong Katong Campus)		2 Mins		Katong Tanjong Katong Katong Girls Sch Residences Residences Serava
10 Haigs Girls' School (U/C)	 -	3 Mins	1.2 KM	Girls Sch (U/C) Taipan Regency Tsipan Seraya Ville Haig Walk Jolynco
				Haig Eis Intl Isuites Fer Bellezza Residences Pre-sch (Br.1) The Marshall Katong
LEICHDE				S E R A Y A Disidences Serve Ct Marchall St
LEISURE		2 Mins	000	Haig Seraya Marshall Ch Seraya Lodge Lodge
11 Eurasian Heritage Centre		2 Mins		Apts Seraya
12 Sri Senpaga Vinayagar Temple		2 Mins		Katong Student Hostel Kandhuru Breeze Seraya Ro Vinaj
13 Choice Cuts Goods		3 Mins		Chelsea Lodge Jin Beringin Tg Katong Pri Sch
14 East Coast Park	 -	6 Mins	2.6 km	Apsn Ctr For Adults
				Goodman Rd I The I
				Canadian Intl Sch (Tanjong
SHOPPING MALLS	ı.	c	500	Ryanksome Rd 9
15 Katong Shopping Centre		6 Mins		Branksome Rd Katong Shopping Shopping Centre Hombarten Rd F
16 Parkway Parade		2 Mins		Chatsworth Intl
17 Katong Village	6	3 Mins	1.2 km	Chatsworth Intl Sch (East Campus) Mountbatten Suites Shore Residences Residences
				Mounbatten Tessa Lodge Residences Amber 45
DINING				Bournemouth Rd Residences The Esta
		2 Mins	900 m	The Esta
18 328 Katong Laksa 19 Birds of Paradise	•—• •—•	2 Mins		
20 Dunman Food Centre				Amber Gardens Rate 2
21 The Cider Pit		2 Mins 3 Mins		Amber 2
21 The Cidel Fit	oo'	2 1411112	I KIII	JIn Seaview
COMMUNITY				Jin Sedap Rd
22 Geylang Serai Community Club		3 Mins	900 m	Jlu 25.
23 Joo Chiat Community Club		4 Mins		
23 300 Chiat Community Club			1.3 KIII	
				Meyer Rd

East Coast Parkway

14
























SITE PLAN

- 1 Entrance (1st Storey)
- 2 Side Gate (1st Storey)
- 3 Electrical Meter (1st Storey)
- 4 Bulk Meter (1st Storey)
- 5 Bin Point (1st Storey)
- 6 Open Staircase (Serving 1st to roof terrace)

- 7 Lift
 (Serving 1st to roof terrace)
- 8 Nature Gym (Roof terrace)
- 9 Outdoor Fitness Corner (Roof terrace)
- Water Tank & Pump Room (Roof terrace)
- 11 Play Pit (Roof terrace)
- 12 Tropical Pavilion (Roof terrace)

- 13 Teppanyaki Dining (Roof terrace)
- 14 Washroom (Roof terrace)
- 15 Hammock Alcove (Roof terrace)
- 16 Pool (2nd Storey)


Floor	#01	#02	#03	#04	
Roof		Ro	oof		
5th	A2	B2	C2	D2	
4th	4th A1		C1	D1	
3rd A1		B1	C1	D1	
2nd Pool		B1a	C1a	D1a	

Floor Unit	-	#02	#03
1st	Carpark	E1	E2

TYPE A1

90 sqm / 969 sqft

3 Bedroom





All floor areas indicated are inclusive of AC Ledge, Balcony and Private Enclosed Space (PES), where applicable. All floor areas are estimate only and subject to final survey.

All floor plans are subject to changes as may be required or approved by the relevant authorities.


TYPE A2


89 sqm / 958 sqft


3 Bedroom


TYPE B1

106 sqm / 1141 sqf











97 sqm / 1044 sqft


3 Bedroom


TYPE B2

105 sqm / 1130 sqft













116 sqm / 1249 sqft


3 Bedroom


TYPE C1a

116 sqm / 1249 sqft










TYPE C2


116 sqm / 1249 sqft


3 Bedroom


TYPE D1

114 sqm / 1227 sqft











114 sqm / 1227 sqft


3 Bedroom


TYPE D2

114 sqm / 1227 sqft













88 sqm / 947 sqft


2 Bedroom


TYPE E2

86 sqm / 926 sqft











SPECIFICATIONS

1. FOUNDATION

Reinforced Concrete Piles and/or steel piles to Engineer's Design.

2. SUPERSTRUCTURE

Reinforced concrete using Grade C30 and/or C28/35 concrete manufactured from Portland Cement complying with SS26 and/or SSEN 197, steel reinforcement bar complying with SS2 and/or SS560 &SS18 and/or SS561and steel structures.

3. WALLS

- a) External Wall Concrete wall and/or clay bricks and/or concrete blocks and/or lightweight concrete block/wall panel.
- b) Internal Wall Concrete wall and/or clay bricks and/or concrete blocks and/or drywall partition and/or lightweight concrete blocks/wall panel.

4. ROOF

Reinforced concrete flat roof and/or metal roof. Roof structure of reinforced concrete and/ or galvanized steel.

5. CEILING

a) Floor to Ceiling Height (all units except Type E1, E2)

 $\begin{array}{ll} Living/Dining - 2.80m \, (min)^* & WC - 2.50m \, (min) \\ Kitchen - 2.50m \, (min) & Utility - 2.70m \, (min) \\ Bedroom - 2.70m \, (min) & Balcony - 2.50m \, (min) \\ Bathroom - 2.50m \, (min) & Dathroom - 2.50m \, (min) \\ \end{array}$

Floor to Ceiling Height (Type E1, E2)

 $\begin{array}{ll} \text{Living/Dining - } 3.20\text{m (min)}^* & \text{Bathroom - } 2.60\text{m (min)} \\ \text{Kitchen - } 2.60\text{m (min)} & \text{PES - } 2.60\text{m (min)} \\ \text{Bedroom - } 3.20\text{m (min)} & \end{array}$

b) Apartment Units

- Skim coat and/or ceiling board and/or moisture resistant ceiling board and/or calcium silicate board and/or bulkhead, with emulsion paint finish on exposed surfaces for Kitchen, Living/Dining, Master Bedroom, Bedroom 2 & 3, Master Bath, Bath 2, Utility, WC, Household Shelters, DB, Balcony, PES, AC Ledge (where applicable).

c) Common Areas

- Skim coat and/or ceiling board and/or moisture resistant ceiling board and/or calcium silicate board and/or bulkhead, with emulsion paint finish on exposed surfaces for Lift Lobbies, Car Park, Driveway (where applicable).
- Skim coat with emulsion paint finish to staircases and landings.

6. FINISHES

a) Wall

- (i) Internal
- Ceramic/Homogenous and/or mosaic tiles and/or plaster and paint with emulsion paint and/or skim coat with emulsion paint to ceiling height for Bathrooms and WC.
- Cement and sand plaster and/or skim coat with emulsion paint (visible area only) for Living, Dining, Kitchen, Utility and Bedrooms.
- Cement and sand plaster and/or skim coat with emulsion paint for household shelter.

(ii) External/Common Area

- Cement and sand plaster and/or skim coat with emulsion paint.
- Concrete with sealant and/or plaster and paint with emulsion paint and/or spray texture paint and/or skim coat with emulsion paint for staircase wall.
- Selected area with Ceramic/Homogenous tiles and/or spray texture paint and/or stones or any other finishes as specified by the Architect.

^{* (}Localized Bulk Head - 2.60m)

^{* (}Localized Bulk Head - 2.70m)

b) Floor

- (i) Internal
 - Ceramic/Homogenous tiles with tiles and/or timber skirting for Living, Dining, Kitchen, utility and household shelter.
 - Ceramic/Homogenous tiles for bathroom and WC (where applicable).
 - Timber flooring with timber skirting at bedrooms.

(ii) External

- Ceramic/Homogenous tiles and/or any other materials for balcony, PES (where applicable).
- Cement and sand screed to AC Ledge.

(iii) Common Area

- Ceramic/Homogenous tiles and/or stones and/or cement screed and/or aeration slabs and/or any other materials specified by the Architect for Swimming Pool/ Jet Pool, Pool Deck, Shower, Nature Gym, Outdoor Fitness Corner, Tropical Pavilion, Teppanyaki Dining, Hammock Alcove, Play Pit, Driveway, Carpark, Corridor and Lobby.
- Cement and sand screed and/or Ceramic/Homogenous tiles for staircase.

7. WINDOWS

For all apartment units - uPVC framed windows.

- 7.1 uPVC framed casement windows with or without fixed glass panel for Master Bedroom, Bedroom 3, Kitchen and Utility (A1, A2, B1, B1a, B2, C1, C1a, C2, D1, D1a & D2).
- 7.2 uPVC framed sliding windows for Living, Master Bedroom, Bedroom 2, Kitchen (where applicable).
- 7.3 uPVC framed top hung and/or casement window and/or sliding window for Master Bath, Bath 2 & WC.
- 7.4 All glazing shall be clear and/or tinted and/or frosted (where applicable) and minimum 6mm thick.

8. DOORS

For all apartment units.

- 8.1 Solid timber door for apartment unit entrance.
- 8.2 Hollow core timber swing door for Bedrooms, Master Bath and Bath 2.
- 8.3 Hollow core or solid timber pocket door/sliding door for Kitchen. (Type C1, C1a, C2, D1a, D1, D2).
- 8.4 Hollow core timber swing door for Kitchen (Type B1, B1a, B2).
- 8.5 Aluminum frame bi-fold door for WC and Utility (where applicable).
- 8.6 uPVC framed sliding glass door and/or swing door for living, Balcony (where applicable).
- 8.7 uPVC framed sliding glass door and/or swing door for PES (Type E1, E2).
- 8.8 All glazing shall be clear and/or tinted and/or frosted (where applicable) and minimum 6mm thick.

9. SANITARY FITTINGS

(i) Master Bathroom

- 1 Shower with shower screen and shower mixer ("Paffoni")
- 1 Vanity top complete with basin ("Galassia") and basin mixer ("Paffoni")
- 1 Water Closet ("Meco") / Cistern ("Geberit")
- 1 Mirror
- 1 Paper Holder
- 1 Bidet Spray
- 1 Towel Rail

(ii) Bathroom

- 1 Shower with shower screen and shower mixer ("Paffoni")
- 1 Vanity top complete with Basin ("Galassia") and basin mixer ("Paffoni")
- 1 Water Closet ("Meco") / Cistern ("Geberit")
- 1 Mirror
- 1 Paper Holder
- 1 Bidet Spray
- 1 Towel Rail

(iii) Kitchen

- 1 Sink ("Sims") complete with Sink Mixer ("Paffoni")

(iv) <u>WC</u>

- 1 Shower and Shower Mixer ("Paffoni")
- 1 Paper Roll Holder
- 1 Water Closet ("Meco") / Cistern ("Geberit")
- 1 Basin ("Duravit") / Basin Mixer ("Crestial")

10. ELECTRICAL INSTALLATION

All electrical wiring to be in concealed conduits whenever possible except for electrical wiring above false ceiling. If required, mechanical ventilation provided in bathroom. Refer to Electrical Schedule for details.

ELECTRICAL SCHEDULE

Unit Type	A1	A2	B1	B1a	B2	C1	C1a	C2	D1	D1a	D2	E1	E2
Lighting Point	10	10	10	10	10	10	10	10	10	10	10	9	9
13A Single Socket	6	6	6	6	6	6	6	6	6	6	6	6	6
13A Double Socket	4	4	4	4	4	4	4	4	4	4	4	4	4
TV Point	4	4	4	4	4	4	4	4	4	4	4	3	3
Water Heater Switch	1	1	1	1	1	1	1	1	1	1	1	1	1
Bell Point	1	1	1	1	1	1	1	1	1	1	1	1	1
Data Point	4	4	4	4	4	4	4	4	4	4	4	3	3
Isolator	1	1	1	1	1	1	1	1	1	1	1	1	1

11. TV POINTS

Refer to the Electrical Schedule for details.

12. LIGHTNING PROTECTION

Lightning protection system shall be in accordance with Singapore Standard SSS555:2010.

13. PAINTING

- a) External walls: Plaster and paint with emulsion paint and/or spray texture paint and/or skim coat with external emulsion paint.
- b) Internal Walls: Emulsion paint.

14. WATERPROOFING

Waterproofing shall be provided to Bathroom, Kitchen, Balcony, WC, Communal Planters and Swimming Pool.

15. PARKING

a) Surface lots and covered lots.

16. RECREATION FACILITIES

- (a) Swimming Pool/Jet Pool (Approximately 45 sqm)
- (b) Pool Deck
- (c) Hammock Alcove
- (d) Teppanyaki Dinning
- (e) Tropical Pavilion
- (f) Play Pit
- (q) Nature Gym
- (h) Outdoor Fitness Corner

17. ADDITIONAL ITEMS

a) Air-Conditioners

- Split type air conditioner ("Mitsubishi") provided in living/dining and bedrooms. Each apartment unit type is provided with 5 fan coil units. (Type A1, A2, B1a, B1, B2, C1a, C1, C2, D1a, D1, D2)
- Split type air conditioner ("Mitsubishi") provided in living/dining and bedrooms. Each apartment unit type provided with 4 fan coil units. (Type E1 & E2)

b) Kitchen Cabinet

- (i) Built-in Kitchen cabinet in laminate and/or polykem finish with Engineered stone counter top.
- (ii) Kitchen Appliances: Electrical Hob ("EF"), Gas Hob ("EF"), Cooker Hood ("EF"), and Microwave Oven ("Franke").

c) Wardrobes

- Built-in wardrobes in laminate and/or polykem finish provided in all Bedrooms.

d) Railing

- Mild steel for common area stair railing. Mild steel and/or Steel and/or glass for other railings.

e) Lift

- 1 passenger lift ("Schindler") from 1st to Roof Terrace.

f) Intercom

- Audio Intercom to Apartments.

NOTES TO SPECIFICATIONS

a) Marble/Limestone/Granite

Marble/limestone/granite are natural stone materials containing veins with tonality differences. There will be colour and markings caused by their complex mineral composition and incorporated impurities. While such materials can be pre-selected before installation, this non-conformity in the marble/limestone/granite as well as non-uniformity between pieces cannot be totally avoided. Granite tiles are pre-polished before laying and care has been taken for their installation. However, granite, being a much harder material than marble, cannot be re-polished after installation. Hence, some differences may be felt at the joints. Subject to clause 14.3, the tonality and pattern of the marble, limestone or granite selected and installed shall be subject to availability.

b) Timber Strip

Timber strips are natural materials containing veins and tonal differences. Thus, it is not possible to achieve total consistency of colour and grain in their selection and installation. Timber strips are also subject to thermal expansion and contraction beyond the control of the builder and the Vendor. Natural timber that is used outdoors will become bleached due to sunlight and rain. Thus, the cycle of maintenance on staining will need to be increased as required. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and 17.

c) Air-conditioning System

To ensure good working condition of the air-conditioning system, the system has to be maintained and cleaned on a regular basis by the Purchaser. This includes the cleaning of filters, clearing of condensate pipes and charging of gas. The Purchaser is advised to engage his own contractor to service the air-conditioning system regularly.

d) Television and/or Internet Acces

The Purchaser is liable to pay annual fee, subscription fee and such other fees to the television and/or internet service providers or any other relevant party or any relevant authorities. The Vendor is not responsible to make arrangements with any of the said parties for the service connection for their respective channels and/or internet access.

e) Layout/Location of Fan Coil Units, Electrical Points, Television Points, Telecommunication Points, Audio Intercom System, Door Swing Positions and Plaster Ceiling Boards Layout/Location of fan coil units, electrical points, television points, telecommunication points, audio intercom system, door swing positions and plaster ceiling boards are subject to the Architect's final decision and design.

f) Warranties

Where warranties are given by the manufacturers and/or contractors and/or suppliers of any of the equipment and/or appliances installed by the Vendor at the Unit, the Vendor will assign to the Purchaser such warranties at the time when vacant possession of the Unit is delivered to the Purchaser. Notwithstanding this assignment, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and 17.

g) Cable Services

The Vendor shall endeavour to procure a service provider for cable television and/or internet services (the "Cable Services") to provide the necessary cabling or connection from its network to the Unit/Building and/or the Housing Project(or any part or parts thereof), so as to enable the Unit/Building and/or the Housing Project to receive the Cable Services. In the event, despite reasonable efforts being made by the Vendor, the Vendor is unable to procure any service provider to provide the said cabling or connection, thereby resulting in there being no Cable Services available in the Unit/Building and/or the Housing Project, the Vendor shall not be liable to the Purchaser for any compensation or for any damages, costs, fees, expenses or losses whatsoever, or howsoever incurred, by virtue of the Purchaser being unable to obtain the Cable Services in the Unit/Building and/or the Housing Project.

h) False Ceiling

The false ceiling space provision allows for optimal function and installation of M&E services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to Architect's sole discretion and final design.

i) Materials, Fittings, Equipment, Finishes, Installations and Appliances

Subject to clause 14.3, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to the Architect's selection and market availability.

j) Glass

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obliqations under clauses 9 and 17.

k) Mechanical Ventilation System


Mechanical ventilation fans and ductings are provided to toilets which are not naturally ventilated. To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.responsible for the performance of its obligations under clauses 9 and 17.

l) Wall

All wall finishes shall be terminated at false ceiling level. There will be no tiles/ stone works behind kitchen cabinets/vanity cabinet/mirror.

TYPICAL BALCONY SCREEN DETAILS


For unit Type A1, B1, C1, C1a, D1, D1a (3rd and 4th Storey), A2, B2, C2, D2 (5th Storey)




Note: This drawing is for reference only. The screen design is for aesthetic uniformity of the developement. The screen to be installed by the purchaser. Materials to be aluminium with powder coated finish. Fixing details are by contractor and fixing shall not damage the existing waterproofing and structure. Owner shall verify all dimensions prior to fabrication and commencement of work. Drawing are not to scale. The owner is required to refer to the management for any additional details.

TYPICAL BALCONY SCREEN DETAILS


For unit Type B1 (3rd and 4th Storey), B2, (5th Storey)






TYPICAL BALCONY SCREEN DETAILS

For unit Type A1 (3rd and 4th Storey), A2, (5th Storey)







Macly Group (est. 1987) is an established property developer based in Singapore with a track record of developing landed properties, apartments, condominiums, mixed developments, commercial and cluster housing projects. Between 2004 to 2018, the Group developed and launched more than 30 residential and commercial developments in Singapore.







- 1. Guillemard Edge
- 2. Eon Shenton
- 3. Zedge



DEVELOPER

Macly 33 Pte Ltd (UEN: 201626268M)

DEVELOPER'S LICENSE NO. C1273

TENURE OF LAND

Freehold

LOT MK 25

96368K AT 12 SERAYA LANE

BP NO.

A1404-00449-2017-BP01, BP02, BP03

EXPECTED DATE OF VACANT POSSESSION

31st October 2022

EXPECTED DATE OF LEGAL COMPLETION

31st October 2025

whilst every reasonable care has been taken in preparing this prochure, the developer and its agents cannot be neid responsible for any inaccuracies, all statements are believed to be correct but are not to be regarded as statements of representation of facts. All information and specifications are current at the time of going to press and are subjected to change as may be required and cannot form part of an offer or contract. All plans are subject to any amendments approved or may be approved by the relevant authority. All art renderings and illustrations contained in this brochure are artist's impressions only and photographs are only decor suggestions and none can be regarded as representation of fact. Areas are approximate measurements and subject to final survey.